

## II. AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

### Listing of Claims:

1. (Currently amended): A method of generating a sperm cell insemination sample, comprising:  
obtaining semen from a male of a species of mammal;  
generating a fluid stream having flow characteristics;  
selecting at least one desired sperm cell fertility characteristic, said desired sperm cell fertility characteristic selected from a group consisting of motility, viability, cleavage rate, pregnancy rate, and blastocyst rate;  
affirmatively altering flow characteristics of said fluid stream to adjust fluid stream pressure based on said at least one desired sperm cell fertility characteristic, wherein said fluid stream pressure is adjusted to a pressure selected from a group consisting of about 30 psi when motility is selected, about 40 psi when motility is selected, about 30 psi when viability is selected, about 40 psi when viability is selected, about 40 psi when cleavage rate is selected; about 40 psi when blastocyst rate is selected, and about 30 psi when pregnancy rate is selected;  
entraining said sperm cells into said fluid stream;  
controlling said at least one desired sperm cell fertility characteristic through adjustment of said fluid stream pressure; and  
generating a sperm cell insemination sample having controlled sperm cell fertility characteristics reflecting said selected ~~optimum~~ desired sperm cell fertility characteristic.
2. (Previously Presented): A method of generating a sperm cell insemination sample a described in claim 1, wherein said species of mammal is selected from the group consisting of a bovine species of mammal, an equine species of mammal, an ovine species of mammal, a canine species of mammal, a feline species of mammal, a swine

species of mammal, a marine species of mammal, a deer species of mammal, a primate species of mammal, a goat species of mammal.

3. (Original): A method of generating a sperm cell insemination sample a described in claim 1, wherein said fluid stream comprises a sheath fluid stream.
4. (Original): A method of generating a sperm cell insemination sample a described in claim 3, wherein said sheath fluid stream comprises a sheath fluid containing phosphate buffered saline (PBS).
5. (Previously presented): A method of generating a sperm cell insemination sample a described in claim 3, wherein said sheath fluid stream comprises a sheath fluid containing a citrate buffer.
6. (Original): A method of generating a sperm cell insemination sample a described in claim 5, wherein said citrate buffer comprises about 2.9% sodium citrate.
7. (Original): A method of generating a sperm cell insemination sample a described in claim 3, wherein said sheath fluid stream comprises a sheath fluid containing a HEPES buffer.
8. (Original): A method of generating a sperm cell insemination sample a described in claim 1, wherein said fluid stream is generated within a flow cytometer or cell sorter.
- 9-30. (Canceled)
31. (Currently amended): A method of generating a sperm cell insemination sample a described in claim 1, wherein said ~~fertility characteristics comprises~~ pregnancy rate comprises a pregnancy rate of a female of a bovine species of mammal inseminated with a bovine sperm cell insemination sample having controlled sperm cell fertility characteristics.

32-38. (Canceled)

39. (Previously presented): A method of generating a sperm cell insemination sample a described in claim 31, wherein said bovine sperm cell insemination sample having controlled sperm cell fertility characteristics contains between about  $1 \times 10^5$  and  $2 \times 10^7$  of bovine sperm cells.
40. (Previously presented): A method of generating a sperm cell insemination sample a described in claim 31, wherein said bovine sperm cell insemination sample having controlled sperm cell fertility characteristics contains between about  $1 \times 10^6$  and  $3 \times 10^6$  of bovine sperm cells.
41. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 1, further comprising the step of staining said sperm cells.
42. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 41, wherein said step of staining said sperm cells comprises staining said sperm cells with Hoechst 33342.
43. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 1, further comprising generating droplets in said fluid stream some of which contain one each of said sperm cells.
44. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 43, further comprising differentiating said sperm cells based upon a sex characteristic.
45. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 44, wherein said step of differentiating said sperm cells based on a sex

characteristic comprises differentiating said sperm cells based on amount of DNA content.

46. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 44, wherein said step of differentiating said sperm cells based on a sex characteristic comprises differentiating said sperm cells based on sperm head volume.
47. (Withdrawn-Currently Amended): A method of generating a sperm cell insemination sample a described in claim 44, further comprising the step of separating said sperm cells based on said sex characteristic.
48. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 47, further comprising the step of collecting said sperm cell insemination sample having controlled sperm cell fertility characteristics in a collection container.
49. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 48, wherein said step of collecting said sperm cell insemination sample having controlled sperm cell fertility characteristics in a collection container comprises collecting a sex selected sperm cell insemination sample in said collection container.
50. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 49, wherein said sex selected sperm cell insemination sample comprises an artificial insemination sex selected sperm cell insemination sample.
51. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 49, wherein said sex selected sperm cell insemination sample comprises an in vitro fertilization sex selected sperm cell insemination sample.
52. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 49, wherein said sex selected sperm cell insemination sample comprises an intracytoplasmic sex selected sperm cell injection sample.

53. (Withdrawn): A method of assessing sex selected sperm cell fertility, comprising:  
obtaining sperm cells from a male of a species of mammal;  
providing Y-chromosome bearing sex selected sperm cells exposed to first treatment conditions;  
providing X-chromosome bearing sex selected sperm cells exposed to second treatment conditions;  
generating an insemination sample having a ratio of said Y-chromosome bearing sex selected sperm cells exposed to said first treatment conditions and said X-chromosome bearing sex selected sperm cells exposed to second treatment conditions;  
inseminating at least one female of said species of mammal with said insemination sample having said ratio of said Y-chromosome bearing sperm cells exposed to said first treatment conditions and said X-chromosome bearing sperm cells exposed to second treatment conditions;  
producing offspring from said at least one female of said species of mammal; and  
assessing fertility of said sex selected sperm cells by comparison of sex ratio of offspring of said at least one female of said species of mammal to said ratio of said Y-chromosome bearing sperm cells exposed to first treatment conditions and X-chromosome bearing sperm cells exposed to second treatment conditions.
54. (Withdrawn): A method of assessing sex selected sperm cell fertility as described in claim 53, wherein said ratio of said Y-chromosome bearing sperm cells exposed to said first treatment conditions and said X-chromosome bearing sperm cells exposed to second treatment conditions comprises substantially equal numbers of Y-chromosome bearing sperm cells exposed to said first treatment conditions and said X-chromosome bearing sperm cells exposed to second treatment conditions.
55. (Withdrawn): A method of assessing sex selected sperm cell fertility as described in claim 53, wherein said sex ratio of offspring of said at least one female of said species of mammal comprises a sex ratio of embryos.

56. (Withdrawn): A method of assessing sex selected sperm cell fertility as described in claim 53, wherein said sex ratio of offspring of said at least one female of said species of mammal comprises a sex ratio of fetuses.
57. (Withdrawn): A method of assessing sex selected sperm cell fertility as described in claim 53, wherein said sex ratio of offspring of said at least one female of said species of mammal comprises a sex ratio of offspring born.
58. (Withdrawn): A method of assessing sex selected sperm cell fertility as described in claim 53, wherein said at least one female of said species of said mammal comprises a sufficient number of females to of said species to produce sufficient numbers of offspring to establish said sex ratio of offspring.
59. (Withdrawn): A method of assessing fertility of sperm cells from a male of a species of mammal, comprising:  
obtaining sperm cells from a least two males of a species of mammal;  
exposing said sperm cells from each of said at least two males of said species to substantially the same flow cytometric treatment;  
inseminating at least one female of said species of mammal with a mixture of substantially equal numbers of said sperm cells from each of said at least two males of said species of mammal exposed to substantially the same flow cytometric treatment;  
collecting embryos from said at least one female of said species of mammal;  
determining which of said at least two males of said species of mammal sired each embryo; and  
ranking comparative fertility of said at least to males of said species of mammal based on comparative number of embryos sired by each of said at least two males.
60. (Withdrawn): A method of assessing fertility of sperm cells from a male of a species of mammal as described in claim 59, wherein said flow cytometric treatment comprises separating said sperm cells from each of said at least two males based upon a sex characteristic.

61. (Withdrawn): A method of assessing fertility of sperm cells from a male of a species of mammal as described in claim 59, wherein said flow cytometric treatment comprises sex selecting sperm cells from each of said at least two males.
62. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 1 further comprising:  
obtaining sperm cells from a least two males of a species of mammal;  
exposing said sperm cells from each of said at least two males of said species to substantially the same flow cytometric treatment;  
fertilizing oocytes in vitro with a mixture of substantially equal numbers of said sperm cells from each of said at least two males of said species of mammal exposed to substantially the same flow cytometric treatment;  
collecting embryos generated through said in vitro fertilization of said oocytes;  
determining which of said at least two males of said species of mammal sired each embryo; and  
ranking comparative fertility of said at least to males of said species of mammal based on comparative number of embryos sired by each of said at least two males.
63. (Withdrawn): A method of generating a sperm cell insemination sample a described in claim 1, further comprising:  
obtaining sperm cells from said male of said species of mammal;  
providing Y-chromosome bearing sex selected sperm cells exposed to first treatment conditions;  
providing X-chromosome bearing sex selected sperm cells exposed to second treatment conditions;  
generating an insemination sample having a ratio of said Y-chromosome bearing sex selected sperm cells exposed to said first treatment conditions and said X-chromosome bearing sex selected sperm cells exposed to second treatment conditions;  
inseminating at least one female of said species of mammal with said insemination sample having said ratio of said Y-chromosome bearing sperm cells exposed to said first

treatment conditions and said X-chromosome bearing sperm cells exposed to second treatment conditions;

producing offspring from said at least one female of said species of mammal; and

assessing fertility of said sex selected sperm cells by comparison of sex ratio of offspring of said at least one female of said species of mammal to said ratio of said Y-chromosome bearing sperm cells exposed to first treatment conditions and X-chromosome bearing sperm cells exposed to second treatment conditions

64. (Withdrawn): A method of generating a sperm cell insemination sample as described in claim 1, further comprising:

obtaining sperm cells from at least two males of a species of mammal;

exposing said sperm cells from each of said at least two males of said species to substantially the same flow cytometric treatment;

inseminating at least one female of said species of mammal with a mixture of substantially equal numbers of said sperm cells from each of said at least two males of said species of mammal exposed to substantially the same flow cytometric treatment;

collecting embryos from said at least one female of said species of mammal;

determining which of said at least two males of said species of mammal sired each embryo; and

ranking comparative fertility of said at least two males of said species of mammal based on comparative number of embryos sired by each of said at least two males.